Questions EAnswers

Marfan Syndrome

This booklet is not copyrighted. Readers are encouraged to duplicate and distribute as many copies as needed.

Additional copies of this booklet are available from

National Institute of Arthritis and Musculoskeletal and Skin Diseases NIAMS/National Institutes of Health 1 AMS Circle Bethesda, MD 20892–3675

You can also find this booklet on the NIAMS Web site at www.niams.nih.gov/hi/topics/marfan/marfan.htm.

Table of Contents

What Is Marfan Syndrome?
What Are the Characteristics of Marfan Syndrome?1
What Causes Marfan Syndrome?4
How Is Marfan Syndrome Diagnosed?5
What Types of Doctors Treat Marfan Syndrome? 6
What Treatment Options Are Available?
What Are Some of the Emotional and Psychological Effects of Marfan Syndrome?
What Is the Outlook for a Person With Marfan Syndrome?
What Research Is Being Conducted To Help People With Marfan Syndrome?
Where Can People Find Additional Information About Marfan Syndrome?

This booklet answers general questions about Marfan syndrome. It describes the characteristics of the disorder, the diagnostic process, and ways to manage symptoms. If you have additional questions after reading this booklet, you may wish to discuss them with your doctor.

What Is Marfan Syndrome?

Marfan syndrome is a heritable condition that affects the connective tissue. The primary purpose of connective tissue is to hold the body together and provide a framework for growth and development. In Marfan syndrome, the connective tissue is defective and does not act as it should. Because connective tissue is found throughout the body, Marfan syndrome can affect many body systems, including the skeleton, eyes, heart and blood vessels, nervous system, skin, and lungs.

Marfan syndrome affects men, women, and children, and has been found among people of all races and ethnic backgrounds. It is estimated that at least 1 in 5,000 people in the United States have the disorder.

What Are the Characteristics of Marfan Syndrome?

Marfan syndrome affects different people in different ways. Some people have only mild symptoms, while others are more severely affected. In most cases, the symptoms progress as the person ages. The body systems most often affected by Marfan syndrome are:

- **Skeleton**—People with Marfan syndrome are typically very tall, slender, and loose jointed. Since Marfan syndrome affects the long bones of the skeleton, arms, legs, fingers, and toes may be disproportionately long in relation to the rest of the body. A person with Marfan syndrome often has a long, narrow face, and the roof of the mouth may be arched, causing the teeth to be crowded. Other skeletal abnormalities include a sternum (breastbone) that is either protruding or indented, curvature of the spine (scoliosis), and flat feet.
- Eyes—More than half of all people with Marfan syndrome experience dislocation of one or both lenses of the eye. The lens may be slightly higher or lower than normal and may be shifted off to one side. The dislocation may be minimal, or it may be pronounced and obvious. Retinal detachment is a possible serious complication of this disorder. Many people with Marfan syndrome are also nearsighted (myopic), and some can develop early glaucoma (high pressure within the eye) or cataracts (the eye's lens loses its clearness).
- Heart and blood vessels (cardiovascular system)—
 Most people with Marfan syndrome have abnormalities associated with the heart and blood vessels.

Because of faulty connective tissue, the wall of the aorta (the large artery that carries blood from the heart to the rest of the body) may be weakened and stretch, a process called aortic dilatation. Aortic dilatation increases the risk that the aorta will tear (aortic dissection) or rupture, causing serious heart problems or sometimes sudden death. Sometimes, defects in heart valves can also cause problems. In some cases, certain valves may leak, creating a "heart murmur," which a doctor can hear with a stethoscope. Small leaks may not result in any symptoms, but larger ones may cause shortness of breath, fatigue, and palpitations (a very fast or irregular heart rate).

- Nervous system—The brain and spinal cord are surrounded by fluid contained by a membrane called the dura, which is composed of connective tissue. As people with Marfan syndrome get older, the dura often weakens and stretches, then begins to weigh on the vertebrae in the lower spine and wear away the bone surrounding the spinal cord. This is called dural ectasia. These changes may cause only mild discomfort or may lead to radiated pain in the abdomen or to pain, numbness, or weakness of the legs.
- **Skin**—Many people with Marfan syndrome develop stretch marks on their skin, even without any weight change. These stretch marks can occur at any age

and pose no health risk. However, people with Marfan syndrome are also at increased risk for developing an abdominal or inguinal hernia where a bulge develops that contains part of the intestines.

• Lungs—Although connective tissue abnormalities make the tiny air sacs within the lungs less elastic, people with Marfan syndrome generally do not experience noticeable problems with their lungs. If, however, these tiny air sacs become stretched or swollen, the risk of lung collapse may increase. Rarely, people with Marfan syndrome may have sleep-related breathing disorders such as snoring or sleep apnea (a sleep disorder characterized by brief periods when breathing stops).

What Causes Marfan Syndrome?

Marfan syndrome is caused by a defect (mutation) in the gene that determines the structure of fibrillin, a protein that is an important part of connective tissue. A person with Marfan syndrome is born with the disorder, even though it may not be diagnosed until later in life. Although everyone with Marfan syndrome has a defect in the same gene, the mutation is specific to each family and not everyone experiences the same characteristics to the same degree. This is called variable expression, meaning that the defective gene expresses itself in different ways in different people. Scien-

tists do not yet understand why variable expression occurs in people with Marfan syndrome.

The defective gene can be inherited: The child of a person who has Marfan syndrome has a 50 percent chance of inheriting the disease. Sometimes a new gene defect occurs during the formation of sperm or egg cells, but two unaffected parents have only a 1 in 10,000 chance of having a child with Marfan syndrome. Possibly 25 percent of cases are due to a spontaneous mutation at the time of conception.

How Is Marfan Syndrome Diagnosed?

There is no specific laboratory test, such as a blood test or skin biopsy, to diagnose Marfan syndrome. The doctor and/or geneticist (a doctor with special knowledge about inherited diseases) relies on observation and a complete medical history, including

- information about any family members who may have the disorder or who had an early, unexplained heart-related death
- a thorough physical examination, including an evaluation of the skeletal frame for the ratio of arm/leg size to trunk size
- an eye examination, including a "slit lamp" evaluation

 heart tests such as an echocardiogram (a test that uses ultrasound waves to examine the heart and aorta).

The doctor may diagnose Marfan syndrome if the patient has a family history of the disease and there are specific problems in at least two of the body systems known to be affected. For a patient with no family history of the disease, at least three body systems must be affected before a diagnosis is made. Moreover, two of the systems must show clear signs that are relatively specific for Marfan syndrome.

In some cases, a genetic analysis may be useful, but such analyses are often time consuming and may not provide any additional helpful information. Family members of a person diagnosed with Marfan syndrome should not assume they are not affected if there is no knowledge that the disorder existed in previous generations of the family. After a clinical diagnosis of a family member, a genetic study might identify the specific mutation for which a test can be performed to determine if other family members are affected.

What Types of Doctors Treat Marfan Syndrome?

Because a number of body systems may be affected, a person with Marfan syndrome should be cared for by several different types of doctors. A general practitioner or pediatrician may oversee routine health care and refer the patient to specialists such as a cardiologist (a doctor who specializes in heart disorders), an orthopaedist (a doctor who specializes in

bones), or an ophthalmologist (a doctor who specializes in eye disorders) as needed. Some people with Marfan syndrome are also treated by a geneticist.

What Treatment Options Are Available?

There is no cure for Marfan syndrome. To develop one, scientists may have to identify and change the specific gene responsible for the disorder before birth. However, a range of treatment options can minimize and sometimes prevent complications. The appropriate specialists will develop an individualized treatment program; the approach the doctor uses depends on which systems have been affected.

- **Skeletal**—Annual evaluations are important to detect any changes in the spine or sternum. This is particularly important in times of rapid growth, such as adolescence. A serious deformity can not only be disfiguring but can also prevent the heart and lungs from functioning properly. In some cases, an orthopedic brace or surgery may be recommended to limit damage and disfigurement.
- Eyes—Early, regular eye examinations are key to catching and correcting any vision problems associated with Marfan syndrome. In most cases, eyeglasses or contact lenses can correct the problem, although surgery may be necessary in some cases.

- Heart and blood vessels—Regular checkups and echocardiograms help the doctor evaluate the size of the aorta and the way the heart is working. The earlier a potential problem is identified and treated, the lower the risk of life-threatening complications. Those with heart problems are encouraged to wear a medical alert bracelet and to go to the emergency room if they experience chest, back, or abdominal pain. Some heart valve problems can be managed with drugs such as beta-blockers, which may help decrease stress on the aorta. In other cases, surgery to replace a valve or repair the aorta may be necessary. Surgery should be performed before the aorta reaches a size that puts it at high risk for tear or rupture. Following heart surgery, extreme care must be followed to prevent endocarditis (inflammation of the lining of the heart cavity and valves). Dentists should be alerted to this risk; they are likely to recommend that the patient be prescribed protective medicines before they perform dental work.
- **Nervous system**—If dural ectasia (swelling of the covering of the spinal cord) develops, medication may help minimize any associated pain.
- Lungs—It is especially important that people with Marfan syndrome not smoke, as they are already at increased risk for lung damage. Any problems with breathing during sleep should be assessed by a doctor.

Pregnancy poses a particular concern due to the stress on the body, particularly the heart. A pregnancy should be undertaken only under conditions specified by obstetricians and other specialists familiar with Marfan syndrome and be followed as a high-risk condition.

While eating a balanced diet is important for maintaining a healthy lifestyle, no vitamin or dietary supplement has been shown to help slow, cure, or prevent Marfan syndrome.

What Are Some of the Emotional and Psychological Effects of Marfan Syndrome?

Being diagnosed and learning to live with a genetic disorder can cause social, emotional, and financial stress. It often requires a great deal of adjustment in outlook and lifestyle. A person who is an adult when Marfan syndrome is diagnosed may feel angry or afraid. There may also be concerns about passing the disorder to future generations or about its physical, emotional, and financial implications.

The parents and siblings of a child diagnosed with Marfan syndrome may feel sadness, anger, and guilt. It is important for parents to know that nothing that they did caused the fibrillin gene to mutate. Parents may be concerned about the genetic implications for siblings or have questions about the risk to future children. Some children with Marfan syndrome are advised to restrict their activities. This may require a lifestyle adjustment that may be hard for a child to understand or accept.

For both children and adults, appropriate medical care, accurate information, and social support are key to living with the disease. Genetic counseling may also be helpful in understanding the disease and its potential impact on future generations.

What Is the Outlook for a Person With Marfan Syndrome?

While Marfan syndrome is a lifelong disorder, the outlook has improved in recent years. Early diagnosis and advances in medical technology have improved the quality of life for people with Marfan syndrome and lengthened their lifespan. In addition, early identification of risk factors (such as aortic dilation) allows doctors to intervene and prevent or delay complications. Advances being made by researchers provide hope for the future. With early diagnosis and appropriate management, the life expectancy for someone with Marfan syndrome is similar to that of the average person.

What Research Is Being Conducted To Help People With Marfan Syndrome?

Scientists are approaching research on Marfan syndrome from a variety of perspectives. One approach is to better understand what happens once the genetic defect or mutation occurs. How does it change the way connective tissue develops and functions in the body? Why are people with

Marfan syndrome affected differently? Scientists are searching for the answers to these questions both by studying the genes themselves and by studying large family groups affected by the disease. Newly developed mouse models that carry mutations in the fibrillin gene may help scientists better understand the disorder. Animal studies that are preliminary to gene therapy are also under way.

Other scientists are focusing on ways to treat some of the complications that arise in people with Marfan syndrome. Clinical studies are being conducted to evaluate the usefulness of certain medications in preventing or reducing problems with the aorta. Researchers are also working to develop new surgical procedures to help improve the cardiac health of people with Marfan syndrome.

Where Can People Find Additional Information About Marfan Syndrome?

National Institute of Arthritis and Musculoskeletal and Skin Diseases (NIAMS)

National Institutes of Health

1 AMS Circle

Bethesda, MD 20892-3675

Phone: 301-495-4484 or

877–22–NIAMS (226–4267) (free of charge)

TTY: 301–565–2966 Fax: 301–718–6366

E-mail: NIAMSInfo@mail.nih.gov

www.niams.nih.gov

NIAMS provides information about various forms of arthritis and rheumatic disease and bone, muscle, joint, and skin diseases. It distributes patient and professional education materials and refers people to other sources of information. Additional information and updates can also be found on the NIAMS Web site.

National Human Genome Research Institute (NHGRI)

National Institutes of Health

9000 Rockville Pike

Bethesda, MD 20892

Phone: 800–411–1222 (free of charge)

(for information about entering a clinical study)

E-mail: prpl@mail.cc.nih.gov

NHGRI is conducting a clinical study involving men and women who have Marfan syndrome to identify responsible genes and which gene changes cause specific medical problems. They are also conducting medical tests that will lead to earlier detection of the signs and symptoms of Marfan syndrome and establishment of a reliable diagnosis.

National Marfan Foundation

22 Manhasset Avenue

Port Washington, NY 11050-2023

Phone: 516-883-8712

800-8-MARFAN (862-7326) (free of charge)

Fax: 516–883–8040

E-mail: staff@marfan.org

www.marfan.org

This organization helps people who have Marfan syndrome and related connective tissue disorders. It provides information and materials about the disorder and how to seek appropriate medical care. It supports research and promotes public awareness of Marfan syndrome. The Foundation can also provide the names of doctors who diagnose and treat Marfan syndrome.

American Heart Association

7272 Greenville Avenue

Dallas, TX 75231

Phone: 800-AHA-USA1 (242-8721)

E-mail: inquiries@heart.org

www.americanheart.org


The American Heart Association has a fact sheet on its Web site that describes the blood vessel and heart valve complications of Marfan syndrome. It is also a source of information on precautions doctors and other health professionals must use in treating patients who have heart problems associated with Marfan syndrome.

Acknowledgments

The NIAMS gratefully acknowledges the assistance of Harry C. Dietz, M.D., of The Johns Hopkins University School of Medicine, Baltimore, MD; Carolyn Levering and Eileen Masciale, National Marfan Foundation, Port Washington, NY; Priscilla Ciccarielo, Director Emeritus of the National Marfan Foundation; Francisco Ramirez, M.D., Mount Sinai School of Medicine of the City University of New York, NY; Joel Rosenbloom, M.D., Ph.D., University of Pennsylvania, Philadelphia; and Bernadette Tyree, Ph.D., of the NIAMS, NIH, in the preparation and review of this booklet.



The mission of the National Institute of Arthritis and Musculoskeletal and Skin Diseases (NIAMS), a part of the Department of Health and Human Services' National Institutes of Health (NIH), is to support research into the causes, treatment, and prevention of arthritis and musculoskeletal and skin diseases, the training of basic and clinical scientists to carry out this research, and the dissemination of information on research progress in these diseases. The National Institute of Arthritis and Musculoskeletal and Skin Diseases Information Clearinghouse is a public service sponsored by the NIAMS that provides health information and information sources. Additional information can be found on the NIAMS Web site at www.niams.nih.gov.





U.S. Department of Health and Human Services Public Health Service National Institutes of Health National Institute of Arthritis and Musculoskeletal and Skin Diseases

NIH Publication No. 02–5000 October 2001